# Weld-in thermowell Model TW25

WIKA data sheet TW 95.25

### **Applications**

- Petrochemical industry, on-/offshore, plant construction
- For high process loads

### **Special features**

- Variable welding diameters
- International standard
- Possible thermowell designs:
  - Design TW25-A: Tapered
  - Design TW25-B: Straight
  - Design TW25-C: Stepped



### Weld-in thermowell, model TW25

### **Description**

Each thermowell/protection tube is an important component of any temperature measuring location. It is used to separate the process from the surrounding area, thus protecting the environment and operating personnel and keeps aggressive media, high pressures and flow rates from the temperature probe itself and thereby enables the thermometer to be exchanged during operation.

Based on the almost limitless application possibilities, there are a large number of variants, such as thermowell designs or materials. The type of process connection and the basic method of manufacture are important design differentiation criteria. A basic differentiation can be made between threaded and weld-in thermowells/protection tubes, and those with flange connections.

Furthermore, one can differentiate between protection tubes and thermowells. Protection tubes are constructed from a tube, that is closed at the tip by a welded solid tip. Thermowells are manufactured from solid bar stock.

The TW25 series of weld-in thermowells are suitable for use with numerous electrical and mechanical thermometers from WIKA.

Due to the heavy-duty design, these international design thermowells are the first choice for use in the chemical and petrochemical industries and in plant construction.

# **Specifications**

Basic information				
Thermowell form				
Design TW25-A	Tapered			
Design TW25-B	Straight			
Design TW25-C	Stepped			
Material (wetted)	<ul> <li>Stainless steel 316/316L</li> <li>Stainless steel 304/304L</li> <li>A105</li> <li>Stainless steel 1.4571</li> <li>Special materials</li> </ul>			
	Other materials on request			

Process connection					
Type of process connection	Welding diameter to customer specification from 25.4 49.5 mm [1 1.95 in]				
Connection to thermometer	<ul> <li>½ NPT female thread</li> <li>G ½ female thread</li> </ul>				
	Other threads on request				
Bore size	■ Ø 6.6 mm [0.260 in] ■ Ø 8.5 mm [0.355 in]				
Insertion length U	To customer specification				
Connection length H	To customer specification (standard 45 mm [1.771 in])				
Tip thickness	6.4 mm [0.25 in]				
	Other tip thicknesses on request				
Suitable stem lengths I <sub>1</sub> (dial thermometer) with tip thickness 6.4 mm [0.25 in]					
Connection design S, 4 or 5	$I_1 = U + H - 10 \text{ mm} [0.4 \text{ in}]$				
Connection design 2	$I_1 = U + H - 30 \text{ mm} [1.2 \text{ in}]$				


Operating conditions	
Max. process temperature, process pressure	Depending on:  Thermowell design Dimensions Material Process conditions Flow rate Medium density
Wake frequency calculation (option)	For critical applications, is recommended as a WIKA engineering service in accordance with ASME PTC 19.3 TW-2016  → For further information, see Technical information IN 00.15 "Wake frequency calculation".

## **Certificates (option)**

Certificates	
Certificates	<ul><li>2.2 test report</li><li>3.1 inspection certificate</li></ul>

Approvals and certificates, see website

### Dimensions in mm [in]



### **Tapered thermowell form**

Dimensions in mm [in]				Weight in kg [lbs] (for H = 45 mm [1.771 in])		
ØΡ	N	ØQ	Øν	ØВ	U = 100 mm [3.937 in]	U = 560 mm [22.047 in]
25.4 [1.000]	■ ½ NPT ■ G ½	25.4 [1.000]	19 [0.750]	■ 6.6 [0.259] ■ 8.5 [0.334]	0.4 [0.881]	1.5 [3.306]
35.0 [1.380]	■ ½ NPT ■ G ½	35.0 [1.380]	19 [0.750]	■ 6.6 [0.259] ■ 8.5 [0.334]	0.7 [1.543]	2.8 [6.172]
49.5 [1.945]	■ ½ NPT ■ G ½	49.5 [1.945]	19 [0.750]	■ 6.6 [0.259] ■ 8.5 [0.334]	1.4 [3.086]	4.9 [10.802]

### **Ordering information**

Model / Thermowell form / Bar diameter / Connection to thermometer / Insertion length U / Connection length H / Thermowell material / Bore size Ø B / Root diameter Ø Q / Tip diameter Ø V / Assembly with thermometer / Certificates / Options

© 12/2007 WIKA Alexander Wiegand SE & Co. KG, all rights reserved. The specifications given in this document represent the state of engineering at the time of publishing. We reserve the right to make modifications to the specifications and materials.

WIKA data sheet TW 95.25 · 01/2022

Page 4 of 4



WIKA Alexander Wiegand SE & Co. KG

Alexander-Wiegand-Straße 30 63911 Klingenberg/Germany Tel. +49 9372 132-0 Fax +49 9372 132-406

info@wika.de www.wika.de